MAT-5860US

RECEIVED

JUL 0 9 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE Chnology Center 2600

Application No.:

09/050,808

Appellant:

Yutaka Machida

Filed:

March 30, 1998

Title:

DECODING AND CODING METHOD OF MOVING IMAGE SIGNAL, AND DECODING AND CODING APPARATUS OF

MOVING IMAGE SIGNAL USING THE SAME

TC/A.U.:

2613

Examiner:

Allen C. Wong

Confirmation No.: Docket No.:

7277 MAT-5860

APPEAL BRIEF

Mail Stop Appeal Brief - Patents Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Responsive to the Final Official Action dated December 30, 2003, Appellant is submitting this Appeal Brief for the above-identified application.

I. REAL PARTY IN INTEREST

The real party in interest is Matsushita Electric Industrial Co., Ltd.

II. RELATED APPEALS AND INTERFERENCES

There are no appeals or interferences which will directly affect or be directly affected by or have a bearing on the Board's decision in the pending appeal.

III. STATUS OF CLAIMS

Claims 2, 7 and 12-22 are pending. Claims 1, 3-6 and 8-11 have been cancelled. Claims 2, 7 and 12-22 have been appealed.

07/08/2004 RMEBRAHT 00000050 09050808

IV. STATUS OF AMENDMENTS


An Amendment after final rejection was filed on February 27, 2004.

Appellant's representative argued that this Amendment did not raise new issues.


The Examiner disagreed. Accordingly, that Amendment has not been entered.

V. <u>SUMMARY OF INVENTION</u>

The present invention relates to a method for decoding a block in a frame. The frame is one of a plurality of successive frames (Appellant's Fig. 2) in a predictively coded image signal. Thus, the plurality of frames may be referred to as frames N-M, N, and N+1 where M is ≥ 1 . This is illustrated below.



The first step is to evaluate block N of frame N and block N-M of frame N-M (Appellant's specification, page 11, lines 23-26). Block N and block N-M are in corresponding locations. This is illustrated below:



An error is identified in block N or block N-M (Appellant's specification, page 12, lines 13-15).

If the error is identified in block N, then block N-M is used to decode block N+1. If the error is found in block N-M, then block N is used to decode block N+1 (Appellant's specification, page 13, lines 17-21).

An apparatus is also disclosed (and illustrated in Appellant's Fig 1) for performing the method set forth above. Thus, a detector evaluates block N (of frame N) and block N-M (of frame N-M). If the detector identifies an error in block N, then block N-M is used to decode block N+1. If the detector identifies an error in block N-M, then block N is used to decode block N+1.

VI. GROUPING OF CLAIMS

Claims 2, 7 and 13-22 stand or fall together. Claim 12 stands separately from the other claims because it explicitly states that the decoding is based on the identification of error in one of the two prior blocks. While Appellant takes the position that the relationship between identification and coding is necessarily implied in the other claims, claim 12 has been selected to stand separately for purposes of this Appeal, in an overabundance of caution.

VIII. <u>ARGUMENT</u>

Claims 2, 7 and 12-22 have been rejected under 35 U.S.C. §103(a) as being unpatentable over Sun (U.S. Patent No. 5,247,363) in view of Tahara (U.S. Patent No. 5, 633,682). This rejection is respectfully traversed for the reasons set forth below.


Appellant acknowledges that Sun discloses error detection and correction. Error detection and correction is known in the art.

The Official Action further acknowledges that Sun does not disclose looking at two frames prior to the present frame (Official Action, page 4, lines 3-4). Thus, in order to complete the rejection, the Official Action needed to combine Sun with Tahara. Tahara Figure 4 shows that a frame may be constructed based on several previous frames. For example, in Tahara frame F3 is shown as being based on frame F2 and frame F1.


MAT-5860US

Application No.: 09/050,808 Appeal Brief Dated: July 2, 2004

However, Tahara says absolutely nothing about identifying an error in one previous frame and then using another previous frame to decode the present block. More specifically, Appellant's claim relates to the following frame sequence:



Each frame has a block in a corresponding location as shown:



Appellant's have claimed the features of:

- ... identifying an error in one of block N and block N-1 ...
- ... using the other of block N and block N-1 to decode block N+1.

Thus, if there is an error in block N, then block N-M is used to decode block N+1. Similarly, if there is an error in block N-M, then block N is used to decode block N+1.

Tahara Fig. 4, does not disclose detecting an error in one of F1 and F2 and then using the other of F1 and F2 to decode F3. Furthermore, Tahara does not disclose detecting an error in block F1 or F2 and then using the other of block F1 or F2 to decode block F3. In addition, Tahara does not disclose the above with blocks

Appeal Brief Dated: July 2, 2004

F1, F2 and F3 being in corresponding locations in Frames F1, F2 and F3. Accordingly, Appellant's claim 21 is patentable over the art of record.

Appellant's claim 22 is similarly patentable over the art of record for the reasons set forth above.

The present Application includes claim 12. Claim 12 includes specific wording to the effect of, out of two blocks, one having an error, and one not having an error, the block without the error is used for decoding "based on the judging" of which block does not have the error.

In view of the arguments set forth above, the above identified application is in condition for allowance which action is respectfully requested.

Respectfully Submitted,

RatnerPrestia

Lawrence E. Ashery, Reg. No. 34,515

Attorney for Appellant

LEA/ds/dmw

Enclosure: Pending Claims

Dated: July 2, 2004

Suite 301 One Westlakes, Berwyn P.O. Box 980 Valley Forge, PA 19482 (610) 407-0700

The Assistant Commissioner is hereby authorized to charge payment to Deposit Account No. **18-0350** of any fees associated with this communication.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Mail Stop Appeal Brief - Patents, Commissioner For Patents, P.O. Box 1450, Alexandria, VA, 22313-1450 on July 2, 2004.

Donna M. Wellings

DMW_I:\MAT\5860\APPEAL BRIEF.DOC



APPENDIX OF CLAIMS

(Cancelled)

2. (Previously Presented) The method of decoding an image signal of claim 12, wherein if the predicted pixel blocks are free from decoding error,

the predicted pixel blocks produced from a latest decoded frame is used in reconstruction of the present pixel block.

- 3. (Cancelled)
- 4. (Cancelled)
- 5. (Cancelled)
- 6. (Cancelled)
- 7. (Previously Presented) The decoding apparatus of claim 20, wherein the means for storing stores bit errors of plural video frames by plotting pixel blocks in which bit error is detected in each video frame in a form of decoding error maps.
 - 8. (Cancelled)
 - 9. (Cancelled)
 - 10. (Cancelled)
 - 11. (Cancelled)
- 12. (Previously Presented) A method of decoding block N+1 according to claim 21, wherein the image signal is a bit stream of a coded compressed video signal, the method further comprising the steps of:

decoding the bit stream for information defining pixel blocks, the information including motion vectors;

step b) includes the step of detecting an error in the information of one of the pixel blocks being blocks N and N-M in each of at least two frames which are prior to a present frame said present frame being frame N+1, said at least two frames being frames N and N-M;

storing error information of the one of the pixel blocks in each of the at least two frames which are prior to the present frame, in an error memory;

storing, in a frame memory, video information of the at least two frames which are prior to a present frame;

generating from the decoded motion vectors at least two predicted pixel blocks corresponding to a present pixel block in the present frame;

step b) further includes the step of judging if one of the at least two predicted pixel blocks corresponds to error information of the at least two frames stored in the error memory; and

step c) includes the step of using one of the at least two predicted pixel blocks in reconstructing the present pixel block based on the judging.

- 13. (Previously Presented) The method for decoding an image signal of claim 12, wherein each of the predicted pixel blocks is generated from reconstructed video frames by using motion vectors which correspond to the reconstructed video frames.
- 14. (Previously Presented) The method for decoding an image signal of claim 12, wherein if one of the at least two predicted pixel blocks is judged to correspond to error information stored in the error memory, the other of the at least two predicted pixel blocks is used in reconstruction of the present pixel block.
- 15. (Previously Presented) The method of decoding an image signal of claim 12, wherein if the at least two predicted pixel blocks are judged not to correspond to error information stored in the error memory, an average of the at least two predicted pixel blocks is used in reconstructing of the present pixel block.
- 16. (Previously Presented) A method of decoding block N+1 according to claim 21, said method further for reconstructing video frames of the image signal, the method further comprising the steps of:

decoding the image signal for information to define pixel blocks of video frames, the information including motion vectors;

step b) includes the step of generating decoding error maps indicating decoding errors of pixel blocks being blocks N and N-M in each of at least two

frames which are prior to a present video frame said present frame being frame N+1, said at least two frames being frames N and N-M;

storing the decoding error maps in error memory;

storing, in a frame memory, video information of the at least two frames which are prior in time to the present video frame;

generating from the decoded motion vectors at least two predicted pixel blocks corresponding to a present pixel block in the present video frame; and

step b) further includes the steps of determining if a predicted pixel block includes decoding errors corresponding to decoding errors in either of the at least two frames which are prior to the present frame; and based on the determining, judging if the predicted pixel block is used in reconstructing the present video block.

17. (Previously Presented) A decoding apparatus according to claim 22, wherein said detector includes

a decoding device for decoding the image signal to define pixel blocks of video frames, the image signal including motion vectors;

means for detecting decoding errors of the pixel blocks being blocks N and N-M in each of at least two frames which are prior to a present video frame said present frame being frame N+1, said at least two frames being frames N and N-M;

an error memory for storing decoding error maps of the decoding errors of the pixel blocks in each of the at least two frames which are prior to the present frame:

motion compensation means for generating from the decoded motion vectors at least two predicted pixel blocks corresponding to a present block which is block N+1 in a present video frame which is frame N+1; and

predicted image selecting means, based on the decoding error maps, determining if the predicted pixel blocks include decoding errors corresponding to decoding errors in either of the at least two frames which are prior to the present frame, and thereby determining use of the predicted pixel blocks in reconstructing the present block.

18. (Previously Presented) The decoding apparatus of claim 17, wherein the video signal is a bit stream of variable length code, and the decoding device separates and decodes the variable length code from the bit stream and writes presence or absence of decoding errors in the decoding error maps.

- 19. (Previously Presented) The decoding apparatus of claim 17, wherein the motion compensation means generates one predicted pixel block based on a reconstructed video frame which is one frame before the present frame, and generates another predicted pixel block based on a reconstructed video frame which is two frames before the present frame.
- 20. (Previously Presented) A decoding apparatus according to claim 22, wherein said detector includes

means for decoding the bit stream for information defining pixel blocks, the information including motion vectors;

means for detecting an error in the information of one of the pixel blocks being blocks N and N-M in each of at least two frames which are prior to a present frame said present frame being frame N+1, said at least two frames being frames N and N-M;

means for storing error information of the one of the pixel blocks in each of the at least two frames which are prior to the present frame;

means for storing video information of the at least two frames which are prior to a present frame;

means for generating from the decoded motion vectors at least two predicted pixel blocks corresponding to a present pixel block which is block N+1 in the present frame;

means for judging if one of the at least two predicted pixel blocks corresponds to error information of the at least two frames stored in the means for storing; and

means for determining if the one of the at least two predicted pixel blocks is used in reconstructing the present block, based on judging of the means for judging.

MAT-5860US

Application No.: 09/050,808 Appeal Brief Dated: July 2, 2004

21. (Previously Presented) A method of decoding block N+1 in frame N+1 of successive frames of a predictively coded image signal, said method comprising the steps of:

- a) evaluating block N of frame N and block N-M of frame N-M of said signal, wherein blocks N-M, N and N+1 are in corresponding locations of frames N-M, N and N+1, respectively, M=>1;
- b) identifying an error in one of block N and block N-M;
- c) using the other of block N and block N-M to decode block N+1.
- 22. (Previously Presented) Apparatus for decoding block N+1 in frame N+1 of successive frames of a predictively coded image signal, said apparatus comprising:

a detector for evaluating block N of frame N and block N-M of frame N-M of said signal, wherein blocks N-M, N and N+1 are in corresponding locations of frames N-M, N and N+1, respectively, M=>1 and for identifying an error in one of block N and block N-M; and

a decoder for using the other of block N and block N-M to decode block N+1.

Annothi

PTO/SB/21 (04-04) (AW 06/2004)
Approved for use through 7/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Output of the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Application Number 09/050,808

Filtra Data March 30, 1008

RECEIVE

TRANSMITTAL FORM

(to be used for all correspondence after initial filing)

Total Number of Pages in This Submission

Application Number	09/050,808	DEOEN (ED
Filing Date	March 30, 1998	RECEIVED
First Named Inventor	Yutaka MACHIDA	JUL 0 9 2004
Art Unit	2613	- JUL V J 2001
Examiner Name	Allen C. Wong	Technology Center 260
Attorney Docket No.	MAT-5860	

Fee Transmittal Form Drawing(s) After Allowance Communication Technology Center (TC)	ENCLOSURES (Check all that apply)					
Licensing-related Papers	tion					
Amendment/Reply After Final After Final Affidavits/Declaration(s) Extension of Time Request Express Abandonment Request Information Disclosure Statement Certified Copy of Priority Document(s) Response to Missing Parts/Incomplete Application Response to Missing Parts under 37 CFR 1.52 or 1.53 Appeal Communication to B of Appeals and Interferences Appeal Communication to B of Appeals and Interferences Appeal Communication to B of Appeals and Interferences Appeal Communication to B of Appeals and Interferences Appeal Communication to B of Appeals and Interferences Appeal Communication to B of Appeals and Interferences Appeal Communication to B of Appeals and Interferences Appeal Communication to Tom (Appeal Notice, Brief, Repl Brief) Provisional Application Provision	s C y					
SIGNATURE OF APPLICANT, ATTORNEY OR AGENT						
Firm or Individual Lawrence E. Ashery Registration No. (Attorney/Agent) 34,515 Signature Registration No. (Attorney/Agent)						
Date / July 2, 2004						
CERTIFICATE OF TRANSMISSION / MAILING						
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:						
Typed or printed name Donna M. Wellings	-					
Signature & Jonna M. Wellenga Date July 2, 2004						

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Office, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, ALEXANDRIA, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PTO/SB/17 (10-03) (AW 12/2003) Appr or use through 7/31/2006. OMB 0651-0032

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

FEE TRANSMITTAL for FY 2004

Effective 10/01/2003. Patent fees are subject to annual revision.

Applicant claims small entity status. See 37 CFR 1.27

OTAL AMOUNT OF PAYMENT	(\$)	330
------------------------	------	-----

Complete if Known				
Application Number	09/050,808			
Filing Date	March 30, 1998	RECEIVED		
First Named Inventor	Yutaka MACHIDA			
Examiner Name	Allen C. Wong	JUL 0 9 2004		
Art Unit	2613	Technology Center 260		
Attorney Docket No.	MAT-5860	Technology Contol 200		

METHOD OF PAYMENT (check all that apply) Check Credit Card Money Other None Order Deposit Account (use as backup only): Deposit Account 18-0350 SEE CALCULATION (continued) 3. ADDITIONAL FEES Large Entity Small Entity Fee Fee Fee Code (\$) Code (\$) Total 130 2051 65 Surcharge - late filling fee or oath	Fee		
Deposit Account (use as backup only): Deposit Account 18-0350 Deposit 18-0350 Deposit 18-0350	F		
Account 18-0350	Paid		
Number 1052 50 2052 25 Surcharge - late provisional filing fee or cover sheet.			
Account RatnerPrestia 1053 130 1053 130 Non-English specification			
The Director is authorized to: (check all that apply) 1812 2,520 For filing a request for ex parte reexamination			
☐ Charge fee(s) indicated below ☐ Credit any overpayments ☐ Credit any overpayments ☐ Charge fee(s) indicated below ☐ Examiner action			
☐ Charge any additional fee(s) or any underpayment of fee(s) ☐ Charge fee(s) indicated below, except for the filing fee to the			
above-identified deposit account. 1251 110 2251 55 Extension for reply within first month			
FEE CALCULATION 1252 420 2252 210 Extension for reply within second month			
1. BASIC FILING FEE 1253 950 2253 475 Extension for reply within third month			
Large Entity Small Entity 1254 1,480 2254 740 Extension for reply within fourth month			
Fee Fee Fee Fee Description Code (\$) Code (\$) Fee Paid 1255 2,010 2255 1,005 Extension for reply within fifth month			
1001 770 2001 385 Utility filing fee 1401 330 2401 165 Notice of Appeal			
1002 340 2002 170 Design filing fee 1402 330 2402 165 Filing a brief in support of an appeal	330		
1003 530 2003 265 Plant filing fee 1403 290 2403 145 Request for oral hearing			
1004 770 2004 385 Reissue filing fee 1451 1,510 1451 1,510 Petition to institute a public use proceeding	\neg		
1452 110 2452 55 Petition to revive – unavoidable			
1453 1,330 2453 665 Petition to revive – unintentional			
2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE			
Extra Fee from Fee Claims below Paid 1502 480 2502 240 Design issue fee			
Total Claims -20** = 0 X = 0 1502 640 2503 200 Plantianus for			
Independent Claims -3** = 0			
Multiple			
Dependent 1007 30 Processing fee drider 37 CPR 1, 17(q)			
Large Entity Small Entity 1806 180 1806 180 Submission of Information Disclosure Stmt			
Code (\$) Code (\$) Fee Description 8021 40 8021 40 Recording each patent assignment per			
1202 18 2202 9 Claims in excess of 20 1809 770 2809 385 Filing a submission after final rejection (37			
1201 86 2201 43 Independent claims in excess of 3 CFR § 1.129(a)) 1203 290 2203 145 Multiple dependent claim, if not paid 1810 770 2810 385 For each additional invention to be			
1204 86 2204 43 ** Reissue independent claims over examined (37 CFR § 1.129(b))			
original patent 1801 770 2801 385 Request for Continued Examination (RCE)			
1205 18 2205 9 ** Reissue claims in excess of 20 and over original patent 1802 900 Request for expedited examination of a design application			
SUBTOTAL (2) (\$) 0 Other fee (specify)			
**or number previously paid, if greater; For Reissues, see above *Reduced by Basic Filing Fee Paid SUBTOTAL (3) (\$) 330			

SUBMITTED BY				Com	plete (if applicable)
Name (Print/Type)	Lawrence E. Ashery	Registration No. Attorney/Agent)	34,515	Telephone	610-407-0700
Signature	Mun	7 (6/6	2	Date	July 2, 2004

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit and information and authorization on PTO-2038.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.